

CIRCUWELL Professional Information

Complementary Medicine: Health Supplement

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety or intended use.

SCHEDULING STATUS

S0

1. NAME OF MEDICINE

Circuwell capsules

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Each capsule contains:

<i>Capsicum annuum</i> L. (fruit) powder	200.00 mg
--	-----------

<i>Sophora japonica</i> L. (flower bud) extract (standardised to 95 % bioflavonoids)	100.00 mg
--	-----------

<i>Aesculus hippocastanum</i> L. (seed) powder	125.00 mg
--	-----------

Nicotinamide (Vitamin B ₃)	20.00 mg
--	----------

Sugar free.

For full list of excipients, see section 6.1

3. PHARMACEUTICAL FORM

Capsules

Size 0 clear vegetable capsule filled with light brown powder.

4. CLINICAL PARTICULARS

4. 1 Therapeutic indications

A complementary medicine used to support peripheral circulation, capillary strength, symptoms associated with poor venous circulation

4. 2 Posology and method of administration

Posology

Adults (18 years and older): Take one capsule morning and evening with or after a meal.

Special populations

Paediatric population:

Not for use in children.

Method of administration

For oral use.

4. 3 Contraindications

- Hypersensitivity to the active ingredients in **Circuwell** or to any of the excipients listed in section 6.1.
- Not for use in children.
- Not to be taken during pregnancy and breastfeeding.

4. 4 Special warnings and precautions for use

Circuwell should be used with care in:

- Consult your health care provider prior if there is inflammation of the skin, thrombophlebitis or subcutaneous induration, severe pain, ulcers, sudden swelling of one or both legs, cardiac or renal insufficiency.

4. 5 Interactions with other medicines and other forms of interactions

Circuwell may have interactions with the following medicines:

- Aspirin - might decrease the effects of aspirin.
- ACE inhibitors - consult a relevant health care provider if you are taking medication for blood pressure as Circuwell may alter the effectiveness.
- Antacids – Circuwell may irritate the gastrointestinal tract.
- Citrus bioflavonoids may alter effectiveness of certain medications.

4. 6 Fertility, pregnancy and lactation

The use during pregnancy and lactation is not recommended.

No fertility data available.

4. 7 Effects on ability to drive and use machines

No studies on the effects on the ability to drive and use machinery have been performed.

Patients should exercise caution before driving or use of machinery until they are reasonably certain **Circuwell** does not adversely affect their performance.

4. 8 Undesirable effects

Circuwell are generally well-tolerated, but can have side effects:

System Organ Class	Frequency Unknown
Gastrointestinal disorders	Gastrointestinal upset
Central Nervous system disorders	Headache, vertigo

Skin and subcutaneous tissue disorders	Pruritus, rash and urticaria
---	------------------------------

Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicine is important. It allows continued monitoring of the benefit/risk balance of the medicine. Health care providers are asked to report any suspected adverse reactions to SAHPRA via the Med Safety APP (Medsafety X SAHPRA) and eReporting platform (who-umc.org) found on SAHPRA website.

4.9 Overdose

In overdose, side effects can be precipitated and/or be of increased severity (see section 4.8)

Treatment of overdose is symptomatic and supportive

5. PHARMALOGICAL PROPERTIES

5.1 Pharmacodynamic properties:

Pharmacological Classification: Category D: Complementary Medicine: Discipline Specific; Combination Product

Pharmacotherapeutic group and ATC Code: D33.6 – Western Herbal Medicine

5.2 Pharmacokinetic properties:

No pharmacokinetic studies have been performed on **Circuwell** as a combination product.

6. PHARMACEUTICAL PARTICULARS

6. 1 List of excipients

Microcrystalline cellulose, Magnesium Stearate, vegetable capsule shell

6. 2 Incompatibilities

Not applicable

6. 3 Shelf life

24 months

6. 4 Special precautions for storage

- Store at or below 30 °C.
- Protect from light and moisture.
- Do not use after the expiry date stated on the carton.
- Store in the original package.

6. 5 Nature and contents of the container

60 clear vegetable capsules filled with light brown powder, packed in a white tamper proof container, packed into an outer carton with patient information leaflet.

6. 6 Special precautions for disposal of a used medicine or waste materials derived from such medicine and other handling of the product

No special requirement.

7. HOLDER OF THE CERTIFICATE OF REGISTRATION

Crux Pharmaceuticals (Pty) Ltd

630 Jacqueline Drive

Garsfontein

Pretoria

0042

Marketed by:

Nature Life CC Trading as Naturelife SA

Unit 2, Blue, WOW Business Park,

Ballito

KZN

4390

8. REGISTRATION NUMBER(S):

To be allocated

9. DATE OF FIRST AUTHORISATION / RENEWAL OF THE AUTHORISATION

To be allocated

10. DATE OF REVISION OF THE TEXT

April 2026